L Number	Hits	Search Text	DB	Time stamp
-	623	709/220.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:21
-	7	(709/220.ccls. and @ad<20000906) and ((updat$3 or flash$3) NEAR5 firmware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:53
-	6286	remote NEAR5 management	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:53
-	3781	remote NEAR5 management and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:54
-	21	((remote NEAR5 management and @ad<20000906) and (updat$3 NEAR4 firmware)) not ((709/220.ccls. and @ad<20000906) and ((updat$3 or flash$3) NEAR5 firmware))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 13:54
-	622	((updat$3 or flash$3) NEAR4 firmware) and @ad<20000906	USPAT; US-PGPUB	2003/10/21 14:52
-	49	(((updat$3 or flash$3) NEAR4 firmware) and @ad<20000906) and (boot NEAR3 device)	USPAT; US-PGPUB	2003/10/22 14:58
-	3	("5452454" | "5623604" | "5870610").PN.	USPAT	2003/10/21 15:26
-	4	6266809.URPN.	USPAT	2003/10/21 15:28
-	5	(((updat$3 or flash$3) NEAR4 firmware) and @ad<20000906) and (network NEAR3 boot)	USPAT; US-PGPUB	2003/10/21 15:47
-	1	((((updat$3 or flash$3) NEAR4 firmware) and @ad<20000906) and ("MAC")) and (network NEAR8 boot)	USPAT; US-PGPUB	2003/10/21 15:48
-	59	(((updat$3 or flash$3) NEAR4 firmware) and @ad<20000906) and ("MAC")	USPAT; US-PGPUB	2003/10/22 14:40
-	52	(network NEAR2 management) NEAR5 ("MAC") and @ad<20000906	USPAT; US-PGPUB	2003/10/21 15:59
-	7596	(network NEAR2 management) and @ad<20000906	USPAT; US-PGPUB	2003/10/21 15:59
-	11	((network NEAR2 management) and @ad<20000906) and ((organiz$3 or sort$3 or distinguish$3) NEAR4 ("MAC" adj address))	USPAT; US-PGPUB	2003/10/22 14:22
-	434	(network NEAR5 boot) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:22
-	75	((network NEAR5 boot) and @ad<20000906) and firmware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:23
-	66	boot adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:23
-	31	(boot adj network) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:12
-	6	((network NEAR5 boot) and @ad<20000906) and (updat$3 NEAR3 firmware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:44
-	3	("5452454" | "5623604" | "5870610").PN.	USPAT	2003/10/22 08:42

-	3	(US-5870610-$ or US-5623604-$ or US-5452454-$).did.	USPAT	2003/10/22 08:44
-	1	(("5452454" | "5623604" | "5870610").PN.) and (network NEAR5 boot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:58
-	4	6266809.URPN.	USPAT	2003/10/22 08:45
-	4	(US-6581159-$ or US-6487718-$ or US-6601212-$ or US-6446203-$).did.	USPAT	2003/10/22 08:46
-	1	((US-6581159-$ or US-6487718-$ or US-6601212-$ or US-6446203-$).did.) and (network NEAR5 boot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:46
-	23	(change or update or modify) NEAR5 (boot adj (sequence or order)) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:07
-	2	remote NEAR10 (change or update or modify) NEAR5 (boot adj (sequence or order)) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:07
-	4	(chang$3 or updat$3 or modify$3) NEAR6 (boot adj (sequence or order or device or network)) NEAR5 remote$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:17
-	5	(remote$2 or (server adj side)) NEAR8 (set$3 or updat$3 or modify$3 or chang$3) NEAR5 (boot adj (device or sequence or order or image)) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:33
-	469	(remote$2 NEAR8 boot) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:33
-	16	(remote$2 NEAR8 (boot adj (sequence or order or device))) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 09:34
-	22	(remote NEAR5 management and @ad<20000906) and (updat$3 NEAR4 firmware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 10:44
-	1	(validat$3 NEAR6 (boot adj image$1) NEAR7 (operating adj system$1)) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 10:45
-	134	(validat$3 NEAR6 (operating adj system$1)) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 11:21
-	0	((validat$3 NEAR6 (operating adj system$1)) and @ad<20000906) and (certificate adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 10:49
-	9	((validat$3 NEAR6 (operating adj system$1)) and @ad<20000906) and certificate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 10:49
-	1	5421006.pn.	USPAT; US-PGPUB	2003/10/22 11:18

-	2047	(validat$3 NEAR6 (program or software)) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 11:24
-	4	((validat$3 NEAR6 (program or software)) and @ad<20000906) and (certificate adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 11:22
-	143	((validat$3 NEAR6 (program or software)) and @ad<20000906) and certificate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 11:23
-	14	((validat$3 NEAR6 (program or software)) NEAR5 certificate) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 11:24
-	2	(network adj management) same (register$3 NEAR6 (MAC adj address$2)) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:19
-	0	(request or send) NEAR6 (psuedo adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:33
-	0	(psuedo adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:35
-	1	(request or send) NEAR6 (pseudo adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:35
-	1	(request or send) NEAR6 ((pseudo or fake or false) adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:35
-	35	(pseudo adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:43
-	374	((pseudo or fake or false or half) adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:43
-	339	(((pseudo or fake or false or half) adj program) and @ad<20000906) not ((pseudo adj program) and @ad<20000906)	USPAT; US-PGPUB	2003/10/22 13:43
-	277	((pseudo or fake or false) adj program) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 13:44
-	242	(((pseudo or fake or false) adj program) and @ad<20000906) not ((pseudo adj program) and @ad<20000906)	USPAT; US-PGPUB	2003/10/22 14:16
-	9	(request$3 NEAR5 (maintenance or service) NEAR6 (MAC adj address)) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:28
-	0	(identify$3 NEAR5 (network adj computer) NEAR6 (MAC adj address)) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:27
-	7	(service NEAR4 request) NEAR6 (MAC adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:29
-	0	(remote NEAR4 (configuration or update$1)) NEAR6 (MAC adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:29
-	5	(remote NEAR4 (configuration or update$1)) same(MAC adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:30
-	232	(updat$3 or configur$3 or chang$3) NEAR6 (multiple NEAR3 computer$1) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 14:42
-	9	((updat$3 or configur$3 or chang$3) NEAR6 (multiple NEAR3 computer$1) and @ad<20000906) AND (MAC)	USPAT; US-PGPUB	2003/10/22 14:42
-	118	(((updat$3 or flash$3) NEAR4 BIOS) and @ad<20000906) and (boot NEAR3 device)	USPAT; US-PGPUB	2003/10/22 15:00
-	61	((updat$3 NEAR4 BIOS) and @ad<20000906) and (boot NEAR3 device)	USPAT; US-PGPUB	2003/10/22 15:02
-	7	(remote$2 NEAR5 (updat$3 NEAR4 BIOS)) and @ad<20000906	USPAT; US-PGPUB	2003/10/22 15:03
-	0	(computer adj maintenance) NEAR7 request$3 NEAR5 (MAC) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:55
-	3	(computer adj maintenance) NEAR7 request$3 and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:45
-	1211	maintenance NEAR7 request$3 and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:47
-	6	(maintenance NEAR7 request$3 and @ad<20000906) and (MAC adj address)	USPAT; US-PGPUB	2003/10/23 10:45

-	109	(maintenance NEAR7 request$3 and @ad<20000906) and (unique NEAR4 identification)	USPAT; US-PGPUB	2003/10/23 10:46
-	52	computer NEAR10 (maintenance NEAR7 request$3) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:47
-	15	(computer NEAR10 (maintenance NEAR7 request$3) and @ad<20000906) and (unique NEAR8 (identifier or information or identification or name))	USPAT; US-PGPUB	2003/10/23 10:50
-	0	(help adj desk) NEAR8 software NEAR8 (unique NEAR4 (identifier or information or name or identification)) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:53
-	1	(help adj desk) NEAR8 software NEAR8 unique and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:52
-	79	(help adj desk) NEAR8 software and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:52
-	28	((help adj desk) NEAR8 software and @ad<20000906) and MAC	USPAT; US-PGPUB	2003/10/23 10:53
-	0	((help adj desk) NEAR8 software and @ad<20000906) and (MAC adj address)	USPAT; US-PGPUB	2003/10/23 10:53
-	0	(help adj desk) NEAR8 (MAC adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:53
-	0	(help adj desk) same (MAC adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:54
-	0	(remote NEAR5 maintenance) NEAR8 (MAC adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:56
-	0	(computer adj maintenance) NEAR7 request$3 NEAR5 ("MAC") and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:55
-	0	(remote NEAR5 maintenance) NEAR8 ("MAC" adj address) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:55
-	3	(computer adj maintenance) NEAR7 request$3 and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:55
-	0	(remote NEAR5 maintenance) NEAR8 (computer adj name) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 10:57
-	1520	(remote NEAR5 maintenance) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:04
-	102	((remote NEAR5 maintenance) and @ad<20000906) and ((computer adj name) or (unique NEAR4 identifier))	USPAT; US-PGPUB	2003/10/23 10:57
-	4335	((computer or network) NEAR5 maintenance) and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:04
-	370	(((computer or network) NEAR5 maintenance) and @ad<20000906) and ((computer adj name) or (unique NEAR4 identifier))	USPAT; US-PGPUB	2003/10/23 11:05
-	107	(((computer or network) NEAR5 maintenance) and @ad<20000906) and ("MAC" adj address)	USPAT; US-PGPUB	2003/10/23 11:10
-	0	((transmitting or sending) NEAR6 ("MAC" adj address)) NEAR8 maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:11
-	0	((transmitting or sending) NEAR6 ("MAC" adj address)) same maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:11
-	33	((transmitting or sending) NEAR6 ("MAC" adj address)) and maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:14
-	114	((transmitting or sending) NEAR6 ("IP" adj address)) and maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:15
-	3	((transmitting or sending) NEAR6 ("IP" adj address)) NeAR8 maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:15
-	3	((transmitting or sending) NEAR6 ("IP" adj address)) same maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:15
-	114	((transmitting or sending) NEAR6 ("IP" adj address)) and maintenance and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:18
-	1205	709/223.ccls. and @ad<20000906	USPAT; US-PGPUB	2003/10/23 11:18
-	343	(709/223.ccls. and @ad<20000906) and maintenance	USPAT; US-PGPUB	2003/10/23 11:19
-	180	((709/223.ccls. and @ad<20000906) and maintenance) and unique	USPAT; US-PGPUB	2003/10/23 11:20
-	26	(709/223.ccls. and @ad<20000906) and (maintenance NEAR5 request)	USPAT; US-PGPUB	2003/10/23 11:20